

Contra
Allegres

parasitarias
de la piel,
Bicho colorado
y Sarna

Mitigal

UN PRODUCTO BAYER
Esta
Productos farmacéuticos con la Cruz - Bayer
El Símbolo de Confianza

CIENDAS DEL DIA
Como precio máximo en obtuv
24.50 y como mínimo 26.00 el m
legarano de peso vivo.

VENTAS DE LAS CARRAS CON
SIGNATURAS
PEDRO Y ANTONIO LANUSA
De La Pelada—
Tardes: 1 con 100 a 0.20; 2
500 a 0.25. 30; 3 con 210 a 0.25;
4 con 120 a 0.25; 5 con 200 a 0.25;

De La Pelada—
Terneros: 1 con 120 a 0.25 00;
1 con 150 a 0.23.80; 2 con 170 a
0.23.40; 1 con 185 a 0.22; 1 con
180 a 0.23; 2 con 230 a 0.22; 1 con

419 a 0.21.50; 1 con 180 a 0.21.50;
novilhas: 1 con 0.21.30; 1 con 0.
a 0.21; 3 con 1085 a 0.20; 2 con
615 a 0.20.20; 2 con 520 a 0.19.40;
vacas: 3 con 1210 a 0.17.20; 1 co
309 a 0.15.50; 3 con 1085 a 0.15.40
1 con 425 a 0.13; torreado: 1 con
580 a 0.13.

Turnera: 1 con 180 a 0.24.80
novillita: 2 con 1025 a 0.22.80;
con 1815 a 0.22.60; 4 con 1665 a
0.22.40; 4 con 1710 a 0.22.20; 4 con
1720 a 0.21.80; 1 con 280 a 0.21.40
1 con 390 a 0.21; vaquillonas: 2 con
255 a 0.19.00; 2 con 250 a 0.18.00

Navillos: 2 con 985 a 0.21.45; 4 con 1970 a 0.21.30; 4 con 1980 a 0.20.80; 5 con 2340 a 0.20.60; 4 con 1420 a 0.20.20.

Marmosa: 1 con 120 a 0.26.50;
novillos: 1 con 490 a 0.21.80; 3 con
1280 a 0.21.50; 2 con 960 a 0.21.20;
2 con 800 a 0.17.40; vaquillonas:
1 con 210 a 0.19.1 con 305 a 0.19.20;
vacas: 1 con 705 a 0.19; 1 con 590
a 0.18.40; 2 con 1150 a 0.17.40; 1

Novillas: 4 con 1330 a 0.120;
3 con 980 a 0.20.20; 1 con 433 a
0.19.60; 1 con 300 a 0.18; 1 con
590 a 0.18; vacas: 1 con 480 a
0.18; 4 con 1590 a 0.18; 4 con 1400

SALABERRY, HERCETCHE Y
CIA., S. A.

Novillas: 5 con 4225 a 0.22.30; 4 con 1800 a 0.21.60; 3 con 860 a 0.21.20; 4 con 2220 a 0.30.60; 1 con 430 a 0.21.60; 1 con 380 a 0.21.60; 1 con 500 a 0.30.60; novillito: 1 con 330 a 0.22.60.

De Esmeralda—
Novillas: 5 con 4225 a 0.22.30; 4 con 1800 a 0.21.60; 3 con 860 a 0.21.20; 4 con 2220 a 0.30.60; 1 con 430 a 0.21.60; 1 con 380 a 0.21.60; 1 con 500 a 0.30.60; novillito: 1 con 330 a 0.22.60.

MEDICO CIRUJANO
Dr. JORGE E. BELLOC

ANÁLISIS
Clínicos e Histopatológicos
SAN MARTÍN 2024
R. T. 14483 — J. T. 1294

E SUS AHORROS
ZO FIJO

7% INTERES
FICIESE !

The following table shows the results of the experiments conducted on the effect of the concentration of the solution on the rate of reaction. The concentration of the solution was varied from 0.1 M to 0.5 M, and the rate of reaction was measured by the time taken for the reaction to complete. The results show that the rate of reaction increases with increasing concentration of the solution.

DOES
NTE

A circular library stamp, partially visible on the left edge of the page. The word "CLARA" is clearly legible within the stamp.

NTA FE
